

Index

This index is organized by topic and subtopic within topic. Topics and subtopics are identified by page number. Illustrations and tables are listed with page numbers.

- Accidents
 - Electric shock, 91-92
 - Prevention, 88-91
- AC Generator Sets. See also DC Generator Sets, 5-6
 - Controls, 66
 - Description, 4-5
 - Load terminal board, 51
 - Meters, 66-67
- Adverse Operating Conditions
 - Cold, 53-55
 - Combat areas, 59-61
 - High altitudes, 58
 - Hot, 55-56
 - Humid, 57
 - Saltwater, 58
 - Sandy, dry, 56-57
- Allowable current capacities of conductors, in amperes, for not more than three conductors in a raceway or cable (table), 18
- Alternator Data Plate, 6
- Area of loudest noise (illus), 61
- Balanced single-phase, three-wire system (illus), 22
- Balanced single-phase, two-wire system (illus), 21
- Balanced three-phase, four-wire system (illus), 23
- Balanced three-phase, three-wire system (illus), 22
- Balancing the Load, 21
- Buried cable showing proper spacing and depth (illus), 49
- Cable Distribution System
 - Bus-bar distribution center, 52
 - Layout, 53
 - Preconnection checks, 51
- Cable Installation
 - On the ground, 50
 - Overhead, 48-49
 - Underground, 49-50
- Cable Sizes
 - Ampacity, 20
 - Requirements, 14
 - Substitute wire sizes, 19
- Cartridge fuse (illus), 86
- Computations
 - Cable size, 14
 - Demand load, 11
 - Diversity factors, 11-13
 - Load requirements, 10
 - Power factors, 13
 - Voltage drop, 13-14
- Continuity test, 80-81
- Convenience outlets (illus), 67
- Data Plates, 6
- DC Generator Sets, 5-6. See also AC Generator Sets, 4-5
- Demand factors (table), 12
- Demolition
 - Methods, 94-97
 - Training, 93
 - Vital parts, 93

- Diversity factor (illus), 12
- Electric Distribution System, 7
- Engine Identification Plate, 6
- Exhaust noise suppression (illus), 60
- Fixture splice (illus), 79
- Freezing points, composition, and specific gravities of military antifreeze materials (table), 45
- Fuel Supply
 - Installation, 42
 - Safety tips, 43
- Full-load currents of motors (table), 16-17
- Generator set characteristics (table), 2-3
- Generator Sets, Mobile
 - Before-operation checks and services, 44-47
 - Characteristics, 2
 - Demolition, 93
 - Description, 1
 - Engines, 4
 - Engine controls, 62-65
 - Engine instruments, 65-66
 - Grounding systems, 30-32
 - Maintenance, 68-70
 - Noise suppression, 59
 - Operating conditions, 53-61
 - Parallel connections, 28-29
 - Protective equipment, 84-87
 - Selection criteria, 23
 - Set-up instructions, 41
 - Site selection, 35-37
 - Testing, 71
 - Troubleshooting guide, 72-76
 - Types, 3
- Grounding connection (illus), 48
- Grounding pipe (illus), 31
- Grounding plate electrode (illus), 31
- Grounding Systems
 - Accident prevention, 89
 - Soil conditions, 32-33
 - Types, 30-31
- Layout for a distribution system (illus), 53
- Link fuse (illus), 85
- Load
 - Classifications, 27
 - Requirements, 10
- Load Balancing
 - Single-phase system, 21
 - Three-phase system, 22
- Load Banks, 71
- Load conversion factors (table), 15
- Load requirements of a military field installation (illus), 11
- Load terminal board (illus), 51
- Maintenance
 - Battery, 81-83
 - Cable, 77-81
 - Preventive, 68-70
 - Troubleshooting, 72-76
- Making a slip hammer (illus), 34
- Mobile electric generator sets (table), 3-4
- Overhead distribution system with quick-disconnects (illus), 50
- Overspeed safety device (illus), 65
- Parallel connected generator sets (illus), 28
- Parallel Connections, 28-29
- Phase selector switch (illus), 47
- Pigtail splice (illus), 78
- Physical and electrical properties of conductors (table), 20
- Placement of explosives in diesel and gasoline engine-driven generator sets (illus), 94
- Placement of explosives in gas turbine engine-driven generator sets (illus), 95
- Plug fuse (illus), 87
- Practical wiring diagram of a safety control system for a typical mobile generator set (illus), 64
- Protective equipment
 - Circuit breakers, 84
 - Fuses, 85-87
- Rescue from a live wire (illus), 92
- Revetment construction (illus), 38
- Revetments
 - Alignment, 39-40
 - Components, 37-39
 - Dimensions, 37

- Revetments (Continued)
 - Fuel storage, 39
 - Noise suppression, 59-60
- Sandbag exhaust chimney (illus), 59
- Single-phase Distribution System
 - Load balancing, 21
 - Three-wire, 7
 - Two-wire, 7
 - Voltage, 9
- Single-phase, three-wire, 120/240-volt system, (illus), 8
- Single-phase, two-wire, 120-volt system (illus), 7
- Splices
 - Fixture, 79
 - Pigtail, 78
 - T (Tee), 78
 - Western union, 77
- Soil characteristics (table), 32
- Starting and stopping instruction plate, 6
- Substitute wire sizes (table), 19
- Tee splice (illus), 78
- Three-phase Distribution System
 - Four-wire, 8
 - Load balancing, 22
 - Three-wire, 8
 - Voltage of, 9
- Three-phase, three-wire system (illus), 8
- Three-phase, four-wire system (illus), 9
- Three-way fuel valve (illus), 64
- Trailer mounted generator set (illus), 36
- Typical bus-bar distribution center (illus), 52
- Typical changeover board (illus), 46
- Typical control panel (illus), 63
- Typical data plate (illus), 6
- Typical electric power generating site (illus), 1
- Typical engine heater control (illus), 64
- Typical line voltage drop (illus), 13
- Typical rod or pipe ground electrode (illus), 30
- Typical wiring diagram of a two-wire, DC generator set (illus), 26
- Wattage consumption of electrical appliances (table), 16
- Western union splice (illus), 77