

INDEX

A

- AASHTO. See American Association of State Highway and Transportation Officials (AASHTO) method T96.
- abnormal strength profile, 7-8
- ADR. See airfield and heliport maintenance, air base damage repair (ADR).
- ADT. See average daily traffic (ADT).
- aerial photo, 7-28
- aggregate, 9-55
 - bituminous construction, 9-47
 - desirable characteristics, 9-47
 - identification, 9-47
 - rolling, 9-56
 - spreading, 9-56
 - traffic control, 9-57. See also road maintenance, with traffic and baton method.
- AHD. See average haul distance (AHD).
- airfield and heliport maintenance, 8-17
 - air base damage repair (ADR). 8-17
 - Air Force responsibilities, 8-17
 - Army responsibilities, 8-17
 - ice control, 8-20. See also ice control.
 - maintenance during flying operations, 8-21
 - mud control, 8-18
 - rehabilitation of captured airfields, 8-21
 - snow removal, 8-20
 - turf surfaces, 8-18
- alignment, 2-3, 9-6
- alluvial terraces, 2-2
- American Association of State Highway and Transportation Officials (AASHTO) method T96, 9-48
- Army track. See roads, Army track.
- asphalt distributor, 9-57
- asphalt pavement, minimum thickness, 9-71
- asphalts and tars, 9-45
- average daily traffic (ADT), 9-4
- average haul distance (AHD), 3-23

B

- balance lines, 3-22
- baton method, 8-11. See also road maintenance, with traffic
- base course, 5-10
 - compaction, 5-11
 - gradation, 5-11
 - liquid limit, 5-11

- materials, 5-11, 5-12
- natural materials, 5-13
- other materials, 5-14
- plasticity index, 5-11
- processed materials, 5-13
- requirements, 5-11

base flow, 6-9

berm, 6-51

bituminous

- base, 5-15

- materials, 9-41

- pavements, 9-69

- cold-laid, bituminous-concrete plant mix, 9-69

- design, 9-71

- design steps, 9-73

- hot-mix, bituminous-concrete, 9-69

- penetration macadam, 9-69

- road mix, 9-69

- sand asphalt mix, 9-69

- sand-tar mix, 9-69

- sheet asphalt mix, 9-69

- stone-filled sheet asphalt mix, 9-69

- types and uses, 9-69

bituminous surfaces. See maintenance, bituminous surfaces.

blind drain. See subsurface drainage, techniques, blind drains.

box-culvert flow, 6-77

bridge approaches, 2-3

bridges, 6-113. See also road maintenance, fords and bridges.

Bureau of Reclamation, 6-125

burning pits, See forest clearing considerations, waste areas, burning pits,

C

C variable, See rational method of estimating runoff, formula variables, C variable.

CAD, See end-area-determination method, computer -aided design (CAD).

calcium chloride, 8-7, See also ice control, calcium chloride and maintenance, gravel surfaces, use of calcium chloride,

CAMMS. See Condensed Army Mobility Modeling System,

camouflage. See forest clearing considerations, camouflage and tactical considerations, camouflage.

causeways, 6-112

CBR, 5-1. See also design CBR, values and roads, CBR requirements.

cement grades, 9-45

channel flow. See ditches, types of flow, channel.

channels

- construction and maintenance, 6-53

- special, 6-51

- gutters, 6-51
- median, 6-51
- characteristics of grasses, 8-19
- check dams, 8-3
- chespaling. *See* roads, chespaling.
- chord-length calculations, 9-14
- CI. *See* cone index (CI).
- clearing equipment. *See* clearing, stripping, and grubbing; clearing with equipment.
- clearing, stripping, and grubbing, 4-1
 - clearing with equipment, 4-6
 - extreme slopes, 4-12
 - grader, 4-15
 - large trees, 4-9
 - medium trees, 4-8
 - ripper, 4-15
 - Rome plow, 4-10
 - small trees, 4-8
 - tractor-mounted winches, 4-13
 - tree dozer, 4-10
 - truck-mounted winches, 4-14
 - winches, 4-13
 - windrowing, 4-11
 - clearing with explosives, 4-15
 - boulders, 4-15
 - trees and stumps, 4-15
 - felling equipment, 4-14
 - limitations of engineer equipment, 4-7, 4-8
 - performance techniques, 4-6
 - proper application of engineer equipment, 4-6
 - removing buried explosives, 4-17
 - unexploded ordnance (UXO), 4-17
 - removing structures, 4-17
 - removing surface rocks, 4-15
 - stripping, 4-17
 - unsuitable soil, 4-17
- climate classifications of forests, 4-1
 - dry forests, 4-2
 - monsoon forests, 4-2
 - rain forests, 4-2
 - temperate forests, 4-1
- CMP. *See* culverts, corrugated metal pipe (CMP).
- coarse-grained soils, 7-37, *See also* strength profile, coarse-grained soils.
 - operations, 7-26
- cold climates, hydraulic criteria, 6-102
- compaction, 5-4
 - clays that lose strength, 5-6
 - select materials, 5-9
 - silts, 5-6
 - subbase materials, 5-9
 - swelling soils, 5-7

- Condensed Army Mobility Modeling System (CAMMS), 7-1
- cone index (CI), 7-2
 - range, 7-5
 - requirements, equipment, D-1
- cone penetrometer, 7-4
- construction
 - airfield, 1-2
 - Air Force responsibilities 1-2
 - Army responsibilities, 1-2
 - drainage, 6-1
 - methods, 9-49
 - operations, 5-15
 - blending and mixing, 5-16
 - compacting, 5-16
 - fine grading, 5-15
 - finishing, 5-17
 - hauling: placing, and spreading, 5-16
 - watering base materials, 5-16
 - road, 1-2
- construction stakes, 3-3
 - alignment, 3-3
 - centerline, 3-3
 - culvert, 3-6
 - finish-grade, 3-5
 - hub, 3-3
 - offset, 3-5
 - reference, 3-6
 - slope, 3-4
- construction surveys, 3-1
 - bench marks, 3-6
 - earthwork estimation, 3-6
 - final location, 3-2
 - horizontal control, 3-2
 - vertical control, 3-2
 - layout, 3-2
 - preliminary, 3-2
 - reconnaissance, 3-2
- coral, *See* maintenance, coral surfaces.
- corduroy. *See* roads, corduroy-surfaced.
- corrugations, 8-6
- cutbacks, 9-45
- covered-aggregate surface treatment. *See* surface treatments, covered aggregate,
- critical layer, 7-3
 - depth variations, 7-3
- critical slope, 6-77
- crowned section, 9-25
- culverts, 6-59
 - alignment, 6-60

- assembling nestable CMP, 6-59
- backfill, 6-70
- bedding (foundations), 6-68
- concrete box, 6-60
- concrete pipe, 6-59
- corrugated metal pipe (CMP), 6-59
- cover, 6-63
- depth of fill, 6-63
- design, 6-73
 - with submerged inlets, 6-77
 - with unsubmerged inlets, 6-78
- erosion control, 6-72
- headwalls, wing walls, and aprons, 6-71
- hydraulics, 6-73
- maximum permissible cover for CMP, 6-68
- maximum permissible cover for corrugated alumin urn-alloy pipe, 6-69
- slope, 6-62
- types and designs, 6-59
 - construction, 6-60
 - design, 6-73
 - expedient, 6-60
 - permanent, 6-59
- curves
 - 1-degree method, 9-8, F-1
 - compound, 9-7
 - horizontal, 9-7
 - design, 9-10
 - point of curvature (PC), 9-7
 - point of intersection (PI), 9-7
 - point of tangent (PT), 9-7
 - reverse, 9-6
 - simple, 9-6
 - spiral, 9-7
 - vertical, 9-19
 - allowable rate of change of grade (r), 9-20
 - change of grade (AG), 9-20
 - design, 9-20
 - elements, 9-19
 - frequency of placing survey stakes, 9-20
 - length determination, 9-20
 - length factor (k), 9-20
 - sight distance (S), 9-20
 - types, 9-19
 - using metric units, 9-25
- curve tables, F-1
- cut operation, 3-20

D

- DBH. See tree diameters at breast height (DBH)
- design
 - index, 9-59

- pneumatic-tired vehicles, 9-59
 - life, 9-60
 - special considerations, 9-75
 - frost, 9-75
 - stabilized soil, 9-75
- design CBR
 - base course, aggregate surfaces, 9-63
 - base course, flexible pavement, 9-70
 - values
 - selection, 5-10
 - subsoil, 5-7
 - subgrade, 5-7
- design considerations, 5-1
 - pavement structures, 5-1
- design hourly volume (DHV), 9-4
- detention. See drainage, hydrology, detention.
- DHV. See design hourly volume (DHV).
- dips, 6-111
- dissipators, 6-125
- ditches
 - design considerations, 6-45
 - location, 6-45
 - proposed lining, 6-45
 - quantity of runoff (Q), 6-45
 - slope (S), 6-45
 - design techniques, 6-46
 - steps, 6-46
 - diversion, 6-38
 - interceptor, 6-38
 - longitudinal slope or grade (S), 6-43
 - nonsymmetrical, 6-39
 - side, 6-38
 - side-slope
 - back, 6-39
 - ditch, 6-39
 - front, 6-39
 - nonsymmetrical, 6-39
 - ratio, 6-39
 - symmetrical, 6-39
 - trapezoidal, 6-39
 - triangular, 6-39
 - types of flow, 6-40
 - continuous, 6-40
 - laminar, 6-40
 - open channel, 6-40
 - steady, 6-40
 - turbulent, 6-40
 - uniform, 6-40
 - V-type, 6-39
 - velocity of flow (V), 6-42
- ditching, 6-3

interception, 6-3
 drags, 8-4
 drainage. *See also* construction, drainage.
 base, 6-92
 design in arctic and subarctic regions, 6-102
 hydrology, 6-4
 detention, 6-4
 infiltration, 6-4
 intercepting, 6-92
 interception, 6-4
 precipitation, 6-4
 runoff, 6-4, 6-8
 storms, 6-4
 subgrade, 6-92
 transpiration, 6-4
 weather data, 6-6
 drainage-system design, 6-11
 available resources, 6-11
 design data requirements, 6-11
 meteorological data, 6-11
 procedures, 6-11
 delineating watersheds, 6-13
 designing for maximum runoff, 6-19
 determining area contributing runoff, 6-12
 determining size, 6-17
 establishing drainage-structure locations, 6-12
 estimating quantity of runoff, 6-19
 soil characteristics, 6-11
 topographical information, 6-11
 drop inlets and gratings, 6-89
 construction, 6-89
 maintenance, 6-91
 dry season, 7-27
 dust control, 8-5
 dustproofing, 9-51

E

earthwork, 2-3
 operations, 2-3
 earthwork volume sheet, 3-18
 edge raveling, 8-8
 emulsions, 9-47
 end-area-determination methods, 3-7
 computer -aided design (CAD), 3-13
 double-meridian triangle, 3-10
 planimeter, 3-12
 stripper, 3-9
 trapezoidal, 3-7

engineering fabrics, 9-77.
engineering study, 1-3
entrances. See entrances, exits, and segments.
entrances, exits, and segments, 9-60.
environmental conditions, 4-1
EOD, See explosive ordnance disposal (EOD).
equivalency factors, application, 9-75
erosion control, 6-54, 6-114. See also culverts, erosion control,
 culvert outlets, 6-124
 culvert transitions, 6-124
 plain outlets, 6-124
 stilling basins, 6-125
estimating runoff. See rational method of estimating runoff.
exits. See entrances, exits, and segments.
explosive ordnance disposal (EOD), 4-17
external distance, 9-9

F

fabrics, 9-77
field identification, 9-41
fill operation, 3-20
fine-grained soils, 7-36. See also strength profile, fine-grained soils.
flexible-pavement structure, 9-69
 bituminous-pavement mix, 9-71
 bituminous-pavement thickness requirement, 9-71
 compaction requirements, 9-71
 materials, 9-70
 minimum base-course thickness, 9-71
 select materials and subbase, 9-70
 supply sources, 9-70
 typical flexible-pavement section, 5-1
flight-way obstructions, 2-4
 glide angle, 2-4
flow. See ditches, types of flow.
fords, 6-107, See also road maintenance, fords and bridges.
 approaches, 6-110
 bottom material, 6-108
 channel condition, 6-110
 construction, 6-110
 cross section, 6-110
 flood flow 6-110
 high-water determination, 6-109
 maintenance, 6-111
 marking, 6-111
 reconnaissance, 6-108
 requirements, 6-108

- stream velocity, 6-110
- forest clearing considerations, 4-4
 - airfield approach zones, 4-6
 - camouflage, 4-4
 - disposal, 4-5
 - permafrost, 4-4
 - safety, 4-4
 - temporary drainage, 4-4
 - timber salvage, 4-4
 - waste areas, 4-5
 - burning, 4-5
 - burning pits, 4-5
 - clearing and piling stumps, 4-6
 - dumps, 4-5
 - fire control, 4-5
 - log piles, 4-6
 - off-site areas, 4-5
 - revetments, 4-5
- forest types, 4-1. *See also* climate classifications of forests.
- French drain. *See* subsurface drainage, techniques, French drains.
- frost
 - boils, 8-16
 - heaves, 8-16
 - special considerations, 5-15
- frost action potential, 5-10
- frost design for roads, G-1
- frost susceptibility of subgrade, 5-8
- future expansion, 2-5

G

- gabions, 6-119
 - installation, 6-120
 - uses, 6-122
- geofabrics, 9-77
- geologic and permafrost conditions, 4-2
 - hardpan or rock, 4-2
 - inundated, marshy, and boggy areas, 4-2
 - permafrost, 4-2
- geology, 2-2
 - rock outcropping, 2-2
 - sedimentary rocks, 2-2
- geometric design process, 9-1
- geometric formulas, B-1
- geotextiles, 9-77
- glide angle. *See* flight-way obstructions, glide angle,
- grade determination, 9-19

grade line, 5-4
 grader. See clearing, stripping, and grubbing; clearing with equipment,
 gradation requirements, 9-29
 grasses. See characteristics of grasses.
 grating, 6-89
 ground cover, 2-4
 gunite lining, 6-115

H

horizontal-curve elements. See curves, horizontal.
 hydrophobic, 9-48
 hydraulic criteria for cold climates. See cold climates, hydraulic criteria.
 hydraulic gradient, 6-74
 hydraulic radius (R), 6-45
 calculating, 6-46
 hydraulics of culverts. See culverts, hydraulics.
 hydraulic tables and curves, C-1
 hydrography construction, 6-10
 hydrologic tables and curves, C-1
 hydrology. See drainage, hydrology.

I

I variable. See rational method of estimating runoff, formula variables, I variable.
 ice control. See also airfield and heliport maintenance, ice control and road maintenance,
 winter, surface ice control,
 abrasives, 8-15
 calcium chloride, 8-15
 mechanical removal, 8-15
 salts, 8-15
 ice road. See roads, snow and ice.
 icing, 6-105
 ground, 6-106, 6-107
 measures against, 6-107
 river, 6-106, 6-107
 spring, 6-107
 types, 6-105
 infiltration. See drainage, hydrology, infiltration.
 intensity-duration curves. See standard rainfall intensity-duration curves.
 interception. See drainage, hydrology, interception and drainage, interception.

L

- lag time, 6-9
- laminar flow. See ditches, types of flow, laminar.
- land clearing, 4-1
- landing mats. See roads, landing mats.
- layout techniques, 9-15
- length of curve (L), 9-9
- level terrain
 - all-wheel drive vehicles, 7-12, 7-25
 - self-propelled vehicles, 7-12
 - tracked vehicles, 7-12, 7-24
 - vehicles towing inoperable, powered vehicles, 7-17, 7-18
 - vehicles towing other vehicles, 7-14
- load distribution, 5-2
- LOC. See preconstruction phase, location factors, lines of communication (LOC).

M

- macadam, 5-14
 - applying screenings, 5-17
 - compacting, 5-17
 - preparing subgrade, 5-17
 - special procedures for base, 5-17
 - spreading, 5-17
- maintenance
 - bituminous surfaces, 8-7
 - inspection, 8-7
 - patches, 8-7
 - maintenance of shoulders, 8-7
 - temporary repairs, 8-7
 - coral surfaces, 8-8
 - crater repair, 8-8
 - drainage, 8-2
 - culverts, 8-3
 - ditches, 8-3
 - shoulders, 8-3
 - surface, 8-3
 - gravel surfaces, 8-5
 - repair of potholes, 8-6
 - treatment of corrugations, 8-6
 - use of calcium chloride, 8-7
 - inspections, 8-2
 - drainage, 8-2
 - surface, 8-2
 - materials, 8-2
 - nonpaved surfaces, 8-3
 - oiled surfaces, 8-5
 - processed material surfaces, 8-7
 - rigid pavements, 8-8

- stabilized soil surfaces, 8-8
 - potholes, 8-8
 - ravels, 8-8
- maintenance and repair of surfaces, 8-1, 9-58
 - activities, 8-1
 - bituminous inspection, 9-58
 - guidelines, 8-1
 - operations, 8-2
 - patches, 9-58
 - shoulders, 9-58
 - temporary repairs, 9-58
- Manning's velocity of flow, 6-42
- maps
 - geologic, 7-29
 - soils, 7-29
 - topographic, 7-29
- marginal material, 2-4
- mass diagram, 3-19
 - construction, 3-20
 - limitations, 3-28
 - properties, 3-20, 3-21
- maximum haul distance, 3-22
- metric conversions, A-1
- MI. See mobility index (MI).
- middle ordinate, 9-9
- mobility index (MI), 7-19
 - calculating, 7-20
 - limitations, 7-23
- mud con trol. See airfield and heliport maintenance, mud control.
- multiple surface treatment. See surface treatment, multiple.

N

- NATO Reference Mobility Model (NRMM), 7-1, 7-26
- NRMM. See NATO Reference Mobility Model (NRMM).
- node, 3-20

O

- obstacle crossings, 2-3
- obstacles, 7-10, 7-11
- off-road speed map, 7-31
- Office of the Chief of Engineers, 2-7
- one-pass performance, 7-12
- open channels. See *also* ditches, types of flow, open channel.
 - design equations, 6-42

- continuity, 6-42
- Manning's velocity of flow, 6-42
- roughness coefficient (n), 6-42
- design factors, 6-38
 - cross section, 6-38
 - location, 6-38
- open storage area, special considerations, 9-75
- organic-soil areas, 7-10

P

- paving, 6-115
- peak flow, 6-10
- performance categories, 7-19
- permafrost, special considerations, 5-15. *See also* forest clearing considerations, permafrost and geologic and permafrost conditions.
- plank-tread road. *See* roads, plank-tread.
- planning considerations, 1-1
- plastic grid. *See* sand grid, plastic grids.
- pending, 6-84
 - advantages, 6-89
 - analysis, 6-87
 - areas, 6-84
- potential landing zone, 7-32
- precipitation. *See* drainage, hydrology, precipitation,
- preconstruction phase, 2-1
 - location factors, 2-1
 - existing facilities, 2-1
 - lines of communication (LOC), 2-1
 - location and design, 2-1
 - minimum rehabilitation, 2-1
 - soil characteristics, 2-2
 - soil investigation prior to construction, 2-2
- preswelling, 5-7
- prime coat, 9-49
 - base preparation, 9-49
 - materials, 9-49

R

- radius of curvature, 9-9
- rating cone index (RCI), 7-2, 7-9
- rational method of estimating runoff, 6-22
 - application, 6-28
 - assumptions, 6-22
 - estimating flow time for multiple cover, 6-28
 - estimating flow time for single cover, 6-26

- formula, 6-22
- formula variables, 6-22
 - C variable, 6-22
 - determining TOC, 6-24
 - I variable, 6-24
 - time of concentration, 6-24
- RCI. See rating cone index (RCI).
- reconnaissance, 2-5
 - air, 2-8
 - airfield, 2-14, 2-15
 - air, 2-15
 - ground, 2-17
 - airfield-siting template, 2-15, 2-16
 - briefing, 2-6
 - engineer, 2-14
 - existing roads, 2-11
 - glide-angle requirements, 2-15
 - ground, 2-8
 - ground reconnaissance report, 2-19
 - undeveloped airfield site, 2-19
 - captured enemy airfield, 2-21
 - location, 2-11
 - map and air studies, 2-9
 - new airfields, 2-15
 - party, 2-5
 - personnel suitable, 2-9
 - planning, 2-6
 - preliminary study, 2-7
 - preparation, 4-2
 - reporting, 2-8
 - route and road, 2-11
 - selecting runway location, 2-15
 - steps, 2-6
- referencing point, 3-6
- remolding index (RI), 7-1
- repair of runways, 8-19
- required areas, 2-4
- revetments. See forest clearing considerations, waste areas, revetments,
- RI, See remolding index (RI).
- ripper. See clearing, stripping, and grubbing; clearing with equipment; ripper.
- riprap
 - design, 6-118
 - placement, 6-116
 - protection, 6-116
 - size selection, 6-116
- road design, 9-1
 - geometric process, 9-1
 - grade and alignment, 9-6
- road maintenance, 8-9
 - fords and bridges, 8-16. See also fords and bridges,

- patrols, 8-10
- repair crews, 8-10
- winter, 8-12
 - snow-removal equipment, 8-13, 8-14
 - surface ice control, 8-15
 - with traffic, 8-11. *See also* baton method.
- road tars, 9-47
- roads
 - aggregate-surfaced, 9-62
 - base course, 9-63
 - CBR requirements, 9-63
 - compaction criteria, 9-63
 - compaction requirements, 9-64
 - design curves, 9-65
 - design steps, 9-66
 - materials, 9-62
 - select and subbase materials, 9-63
 - Army track, 9-32
 - chespaling, 9-31
 - classes, 9-59
 - corduroy-surfaced, 9-30
 - heavy, 9-30
 - standard, 9-30
 - types, 9-30
 - with stringers, 9-30
 - expedient -surfaced, 9-30
 - landing mats, 9-32
 - plank-tread, 9-32
 - snow and ice, 9-35
 - unsurfaced, 9-61
 - wire-mesh, 9-35
- Rome plow. *See* clearing, stripping, and grubbing, clearing with equipment; Rome plow.
- roughness, 6-77
- rubble, 5-15
- runoff. *See* drainage, hydrology, runoff.

S

- safe-slope ratios, 2-2
- salts. *See* ice control, salts.
- sand grid, 9-36
 - installation, 9-37
 - plastic grids, 9-36
- scour, types of, 6-73
- sediment control, 6-54
- segments. *See* entrances, exits, and segments.
- select materials, 5-8, 5-9
- shoulders and similar areas, 9-75
- shrinkage, 3-17

- single surface treatment. See surface treatments, single.
- site selection and reconnaissance, 2-1
 - drainage, 2-2
 - location factors, 2-1
- slipperiness, 7-2, 7-10
- slope, 7-10
- slope negotiations, 7-11, 7-12
 - all-wheel-drive vehicles, 7-11
 - self-propelled vehicles, 7-11
 - tracked vehicles, 7-11
 - vehicles towing inoperable, powered vehicles, 7-18
 - vehicles towing other vehicles, 7-15
 - vehicles towing trailers, 7-14
- snow and ice road. See roads, snow and ice.
- snow removal. See airfield and heliport maintenance, snow removal and road maintenance, winter, snow-removal equipment.
- soil characteristics. See drainage-system design, soil characteristics.
- soil classification, 5-1, 7-29
- soil conditions, mapping manually, 7-30
- soil strength, 7-2
- soil topography, 7-29
- soil trafficability
 - test set, 7-3, E-1
 - classification, 7-36, 7-37
- species of trees and root systems, 4-3
- sprayed asphalt with covered-aggregate. See surface treatments, sprayed aggregate with.
- sprayed asphalt with single and multiple surface treatments. See surface treatments, sprayed aggregate with.
- sprayed treatments, 9-41
- St. Anthony Falls Hydraulic Laboratory, 6-125
- stabilized
 - chemically, 5-7
 - mechanically, 5-7
- station adjustments, 9-13
- stationing equations, 9-13
- stakes. See construction stakes.
- standard rainfall intensity-duration curves, 6-9
- standards of trafficability, 2-11
- stickiness, 7-2, 7-10
- stilling basins. See erosion control, stilling basins.
- storms. See drainage, hydrology, storms.
- strength profile, 7-8
 - coarse-grained soils, 7-9
 - fine-grained soils, 7-8
 - remoldable sands, 7-8

stripping, 9-48

stripping test, 9-48

structural design, 9-27

- earth, 9-28
- gravel, 9-29
- processed materials, 9-30
- sand clay, 9-29
- stabilized soil, 9-28
- treated surface, 9-28

subbase compaction

- normal cases, 5-6
- special cases, 5-6

subbase course, 5-8

subbase materials, 5-9

subgrades, 5-4

subgrade stabilization, 5-7

submerged inlets. *See* culverts, design, with submerged inlets,

subsurface drainage, 6-92

- filter design steps, 6-100
- filter material, 6-98
 - selection, 6-100
- pipe-laying criteria, 6-96
- system installation, 6-101
- techniques, 6-92
 - blind drabs, 6-94
 - combination drainage systems, 6-95
 - deep ditches, 6-92
 - French drains, 6-94
 - natural drainage channels, 6-93
 - subsurface pipe, 6-94

successive areas, 6-33

- estimating runoff, 6-34

sunlit slopes, 2-4

superelevation, 9-25

surface treatments, 9-41

- covered aggregate, 9-54
- multiple, 9-54
- requirements, 9-53
- single, 9-52
- sprayed asphalt with, 9-51

surveys. *See* construction surveys.

swell test, 9-48

swelling, 5-7. *See also* compaction, swelling soils,

T

tack coat, 9-50

tactical considerations, 2-5

- camouflage, 2-5. *See also* forest clearing considerations, camouflage.
- defense, 2-5
- defilade, 2-5
- tangents, 9-6
 - distance, 9-9
- terracing, 6-115
- thickness requirements. *See* flexible-pavement structure, bituminous-pavement thickness requirements; unsurfaced soil thickness requirements; and flexible-pavement structure, minimum base-course thickness.
- timber cruising, 4-4
- lime of concentration (TOC), 6-10. *See also* rational method of estimating runoff, formula variables, time of concentration.
- TOC. *See* time of concentration (TOC) and rational method of estimating runoff, formula variables, time of concentration.
- topography, 2-2. *See also* drainage-system design, topographical information and soils topography.
 - map, 7-29
- traffic categories, 9-59
 - tracked vehicles and forklifts, 9-60
- trafficability
 - basic factors, 7-2
 - characteristics of fine-grained soils and remoldable sand in wet weather, 7-35
 - classifications of dry-to-moist, coarse-grained soils, 7-38
 - estimating, 7-27
 - evaluation factors, 7-10
 - instruments and tests, 7-3
 - mapping manually, 7-30
 - measurements, 7-3, 7-5
 - photomap, 7-28
 - procedures in fine-grained soils and remoldable sands, 7-11
 - standards, 2-11
 - test data form, 7-7
 - with weather, 7-2
- transition point, 3-20
- transpiration. *See* drainage, hydrology, transpiration,
- tree diameters at breast height (DBH), 4-4
- tuff, 5-15
- turbulent flow. *See* ditches, types of flow, turbulent.
- turfing, 6-115

U

- Unified Soil Classification System (USCS), 5-4,
- unsubmerged inlets. *See* culverts, design, with unsubmerged inlets.
- unsurfaced roads. *See* roads, unsurfaced.
- unsurfaced-soil thickness requirements, 9-62

USCS. See Unified Soil Classification System (USCS).

USCS soil-type description, 7-35

utilities, 2-4

UXO. See clearing, stripping, and grubbing; removing buried explosives; unexploded ordnance (UXO).

V

VCI. See vehicle cone index (VCI).

VCI determination for new or unlisted vehicles, 7-19

vegetation, 7-10

vehicle classes, 7-19

vehicle cone index (VCI), 7-2

 calculating, 7-20, 7-26

 limitations, 7-23

velocity relationships, 6-45

vertical alignment, 9-18

volume

 compacted, 3-17

 in-place, 3-17

 loose, 3-17

 of flow 6-10

volume-determination methods, 3-13

 average end area, 3-13

 average depth of cut or fill, 3-13

 grid, 3-15

 prismoidal formula, 3-13

V-type ditch. See ditches, V-type.

W

washboarding, 8-4

watersheds. See drainage-system design, procedures, delineating watersheds,

weather conditions, 7-27

wet season, 7-29

wet-weather trafficability characteristics, 7-35

wier notch, 8-3

windrowing. See clearing, stripping, and grubbing; clearing with equipment, windrowing.

wire-mesh road. See roads, wire-mesh.

witnessing point, 3-6

work, 3-23

world isohyetal map, 6-7